



Products in Family

DRL3200RS8/8GB (1 x 8GB RDIMM)
DRL3200RD8/16GB (1 x 16GB RDIMM)
DRL3200RD4/32GB (1 x 32GB RDIMM)
DRL3200RD4/64GB (1 x 64GB RDIMM)



Features	Description
288-pin JEDEC-compliant DIMMs 133.35 mm wide by 31.25 mm high (5.25" x 1.23") Data Transfer Rate: 25.6 Gigabytes/sec Operating Voltage: 1.2V (1.14V~1.26V) Fully RoHS Compliant Thermal Sensor	<p>The DRL3200R upgrades are registered memory which conform to JEDEC's DDR4-3200, PC4-3200AA standard.</p> <p>One EEPROM is used for Serial Presence Detect and a combination register/PLL, with Address and Command Parity is also used.</p> <p>A thermal sensor accurately monitors the DIMM module and can prevent exceeding the maximum operating temperature of 85C.</p>

Dataram Product	Dell Product	Product Description
DRL3200RS8/8GB	SNP6VDNYC/8G	1 x 8GB 1Rx8 PC4-3200AA-R22
DRL3200RD8/16GB	SNPM04W6C/16GB	1 x 16GB 2Rx8 PC4-3200AA-R22
DRL3200RD4/32GB	SNP75X1VC/32GB	1 x 32GB 2Rx4 PC4-3200AA-R22
DRL3200RD4/64GB	SNPP2MYXC/64GB	1 x 64GB 2Rx4 PC4-3200AA-R22



Notes:

1. Tolerances on all dimensions except where otherwise indicated are $\pm .13$. Reference JEDEC standard MO-309C.
2. All dimensions are expressed: millimeters [inches]