


Products in Family

DRF2666RS4/16GB (1 x 16GB RDIMM)
 DRF2666RD4/32GB (1 x 32GB RDIMM)
 DRF2666LR/64GB (1 x 64GB LRDIMM)
 DRF2666RT/64GB (1 x 64GB TSV-RDIMM)
 DRF2666RT/128GB (1 x 128GB TSV-RDIMM)





Features

288-pin JEDEC-compliant DIMMs
 133.35 mm wide by 31.25 mm high (5.25" x 1.23")
 Data Transfer Rate: 21.3 Gigabytes/sec
 Operating Voltage: 1.2V (1.14V~1.26V)
 Fully RoHS Compliant
 Thermal Sensor

Description

The DRF2666R upgrades are registered memory modules, which conform to JEDEC's DDR4, PC4-2666V standard. The DRF2666LR is a load-reduced memory module (LRDIMM). The DRF2666TR is a TSV-RDIMM. One EEPROM is used for Serial Presence Detect and a combination register/PLL, with Address and Command Parity is also used.

Dataram Product	Fujitsu Product	Product Description
DRF2666RS4/16GB	S26361-F4026-E216	1 x 16GB 1Rx4 PC4-2666V-R19
DRF2666RD4/32GB	S26361-F4026-E232	1 x 32GB 2Rx4 PC4-2666V-R19
DRF2666LR/64GB	S26361-F4026-E464	1 x 64GB 4Rx4 PC4-2666V-L19
DRF2666RT/64GB	S26361-F4026-L764	1 x 64GB 4Rx4 PC4-2666V-R22
DRF2666RT/128GB	S26361-F4026-L728	1 x 128GB 8Rx4 PC4-2666V-R22



Notes:

1. Tolerances on all dimensions except where otherwise indicated are ± 0.13 . Reference JEDEC standard MO-309C.
2. All dimensions are expressed: millimeters [inches]